



EC CURRICULUM: FET MATHEMATICS, MATHEMATICAL LITERACY AND TECHNICAL MATHEMATICS


**NATIONAL
SENIOR CERTIFICATE**

GRADE 12

**MATHEMATICS TOPIC TEST 2 OF 2020:
ANALYTICAL GEOMETRY
MARKING GUIDELINES**

MARKS: 40

This Marking Guidelines consists of 3 pages.


QUESTION 1

1.1.1	<p>Midpoint of EC:</p> $= \left(\frac{-2+2}{2} ; \frac{0+(-3)}{2} \right) = \left(0 ; \frac{-3}{2} \right)$	✓ x value ✓ y value (2)
1.1.2	$m_{DC} = \frac{-3 - (-5)}{2 - (-2)}$ OR $\frac{-5 - (-3)}{-2 - 2}$ $= \frac{2}{4} = \frac{1}{2}$	✓ substitution ✓ answer (2)
1.1.3	$m_{AB} = \frac{1}{2}$ [AB DC] $y = \frac{1}{2}x + c$ $0 = \frac{1}{2}(-2) + c$ OR $y - 0 = \frac{1}{2}(x - (-2))$ $c = 1$ $\therefore y = \frac{1}{2}x + 1$	✓ $m_{AB} = \frac{1}{2}$ ✓ substitution of $(-2; 0)$ ✓ equation (3)
1.1.4	$\tan \alpha = m_{AB} = \frac{1}{2}$ $\alpha = 26,57^\circ$ $\theta = 90^\circ + 26,57^\circ$ [ext \angle of Δ] $= 116,57^\circ$	✓ $\tan \alpha = \frac{1}{2}$ ✓ value of α ✓ value of θ (3)

1.2 $B(0 ; 1)$ $m_{BC} = \frac{1 - (-3)}{0 - 2}$ OR $m_{BC} = \frac{(-3) - 1}{2 - 0}$ $= -2$ $= -2$ $m_{AB} \times m_{BC} = \frac{1}{2} \times -2$ $= -1$ $\therefore AB \perp BC$	\checkmark coordinates of B $\checkmark m_{BC} = -2$ \checkmark product of gradients = -1 (3)
1.3.1 $\hat{ABC} = 90^\circ$ $\therefore EC$ is diameter [converse: \angle in semi circle] \therefore centre of circle = $\left(0 ; -\frac{3}{2}\right)$	\checkmark answer (1)
1.3.2 $(x - 0)^2 + \left(y + \frac{3}{2}\right)^2 = r^2$ $(-2 - 0)^2 + \left(0 + \frac{3}{2}\right)^2 = r^2$ OR $(2 - 0)^2 + \left(-3 - \left(\frac{-3}{2}\right)\right)^2 = r^2$ OR $(0 - 0)^2 + \left(1 - \left(\frac{-3}{2}\right)\right)^2 = r^2$ OR $r = \frac{EC}{2} = \frac{\sqrt{(-2 - 2)^2 + (0 - (-3))^2}}{2}$ OR $r = 1 - \left(-\frac{3}{2}\right)$ $\therefore r^2 = \frac{25}{4}$ or $r = \frac{5}{2}$ $x^2 + \left(y + \frac{3}{2}\right)^2 = \frac{25}{4}$	\checkmark substitution of centre \checkmark correct substitution of E(-1 ; 0), B(0 ; 1) or C(2 ; -3) to calculate r^2 or r \checkmark value of r^2 or r \checkmark equation (4)

[18]

QUESTION 2



2.1	$(x-2)^2 + (y-1)^2 = 25$ $(-2-2)^2 + (b-1)^2 = 25$ $(b-1)^2 = 9 \quad \text{OF} \quad 16 + b^2 - 2b + 1 = 25$ $b-1 = \pm 3$ $\therefore b=4 \quad \text{or} \quad b=-2$	$(x-2)^2 + (y-1)^2 = 25$ $(-2-2)^2 + (b-1)^2 = 25$ $(b-1)^2 = 9 \quad \text{OF} \quad 16 + b^2 - 2b + 1 = 25$ $b^2 - 2b - 8 = 0$ $\therefore b=4 \quad \text{or} \quad b=-2$	✓ equation of the circle ✓ substitution of point T ✓ simplification ✓ answer (4)
2.2.1	$K(2; 1-5)$ $\therefore K(2; -4)$	Answer only: full marks	✓ x value ✓ y value (2)
2.2.2	$m_{MT} = \frac{4-1}{-2-2} = -\frac{3}{4}$ $m_{PL} = \frac{4}{3} \quad [\text{radius } \perp \text{ tangent}]$ $y = \frac{4}{3}x + c$ $4 = \frac{4}{3}(-2) + c$ $c = \frac{20}{3}$ $y = \frac{4}{3}x + \frac{20}{3}$	✓ m_{MT} ✓ $m_{PL} = \frac{4}{3}$ ✓ substitution of m_{PL} and the point T ✓ equation	(4)

	<p>OR</p> $m_{MT} = \frac{4-1}{-2-2} = -\frac{3}{4}$ $m_{PL} = \frac{4}{3} \quad [\text{radius } \perp \text{ tangent}]$ $y - y_1 = \frac{4}{3}(x - x_1)$ $y - 4 = \frac{4}{3}(x + 2)$ $y = \frac{4}{3}x + \frac{20}{3}$ <p>OR</p> $P(-11; -8)$ $m_{PL} = \frac{4 - (-8)}{-2 - (-11)}$ $= \frac{4}{3}$ $y = \frac{4}{3}x + c$ $-8 = \frac{4}{3}(-11) + c$ $c = \frac{20}{3}$ $y = \frac{4}{3}x + \frac{20}{3}$	<ul style="list-style-type: none"> ✓ m_{MT} ✓ $m_{PL} = \frac{4}{3}$ ✓ substitution of m_{PL} and the point T ✓ equation <p>(4)</p>
2.2.3	$y_L = \frac{4}{3}(2) + \frac{20}{3} = \frac{28}{3}$ $L\left(2; \frac{28}{3}\right) \text{ and } K(2; -4): LK = \frac{28}{3} - (-4) = \frac{40}{3}$ <p><u>Coordinates of P:</u></p> $\frac{x+2}{2} = -4 \frac{1}{2} \quad \text{and} \quad \frac{y-4}{2} = -6$ $\therefore x = -11 \quad y = -8$ $\therefore P(-11; -8)$ $\perp \text{height (PH)} = 2 - (-11) = 13$ $\text{Area } \Delta PKL = \frac{1}{2}(LK)(PH)$ $= \frac{1}{2}\left(\frac{40}{3}\right)(13) \quad P(-11; -8)$ $= \frac{260}{3} \quad \text{OR} \quad 86,67 \text{ square units}$	<ul style="list-style-type: none"> ✓ $y_L = \frac{28}{3}$ ✓ length of LK ✓ x_P ✓ y_P ✓ length of \perp height ✓ substitution into the area formula ✓ answer <p>(7)</p>

<p>2.2.3</p> <p>OR</p> $y_L = \frac{4}{3}(2) + \frac{20}{3} = \frac{28}{3}$ $L\left(2; \frac{28}{3}\right) \text{ and } K(2; -4): \quad LK = \frac{28}{3} - (-4) = \frac{40}{3}$ <p><u>Coordinates of P:</u></p> $\frac{x+2}{2} = -4 \quad \text{and} \quad \frac{y-4}{2} = -6$ $\therefore x = -11 \quad y = -8$ $\therefore P(-11; -8)$ $PK^2 = (-11 - 2)^2 + (-8 - (-4))^2$ $PK = \sqrt{185} \text{ units}$ $m_{PK} = \frac{-8 - (-4)}{-11 - 2} = \frac{4}{13}$ $\tan \theta = \frac{4}{13} \quad \therefore \theta = 17,1027...^\circ$ $\therefore \hat{P}KL = 90^\circ + 17,1027...^\circ = 107,1^\circ$ $\text{Area } \Delta PKL = \frac{1}{2}(PK)(LK) \sin \hat{P}KL$ $= \frac{1}{2}(\sqrt{185})\left(\frac{40}{3}\right) \sin 107,1^\circ$ $= 86,67 \text{ square units}$	<p>$\checkmark y_L = \frac{28}{3}$</p> <p>$\checkmark$ length of LK</p> <p>$\checkmark x_P \quad \checkmark y_P$</p> <p>$\checkmark \hat{P}KL$</p> <p>$\checkmark$ substitution into the area rule</p> <p>\checkmark answer</p> <p style="text-align: right;">(7)</p>
<p>2.3</p> <p>The centres of the two circles lie on the same vertical line</p> $x = 2 \text{ and the sum of the radii} = 10$ $n-1 = 10 \quad 1-n = 10$ $n=11 \quad \text{or} \quad n = -9$	<p>\checkmark correct method</p> <p>\checkmark sum of radii = 10</p> <p>$\checkmark n=11 \quad \checkmark n = -9$</p> <p style="text-align: right;">(4)</p>

TOTAL: 40