



# **GRADE 12**

# **SEPTEMBER 2024**

# GEOGRAPHY P1 MARKING GUIDELINE

MARKS: 150

This marking guideline consists of 10 pages.

### INSTRUCTIONS AND INFORMATION BEFORE COMMENCEMENT OF MARKING

- 1. Use a single tick for the allocation of ONE (1) mark.
- 2. Use TWO ticks for the allocation of TWO (2) marks.
- 3. Ticks MUST be placed, on/ on top of/ at the end of the correct response, in the sentence.
- 4. A cross (X) MUST be placed at the end of each incorrect/ invalid sentence or response.
- 5. All paragraph questions MUST include the use of symbol:

... when a candidate has achieved 8 marks.

- 6. DO NOT allocate marks to candidates where paragraphs are not completed in full sentences.
- 7. Each sub-section MUST have a total reflected on the right-hand margin e.g. 1.1 should have a mark obtained out of (8).

# SECTION A: CLIMATE AND WEATHER AND GEOMORPHOLOGY

# **QUESTION 1: CLIMATE AND WEATHER**

- 1.1 1.1.1 Temperature inversion (1)
  - 1.1.2 Frost pockets (1)
  - 1.1.3 Anabatic winds (1)
  - 1.1.4 Hygroscopic nuclei (1)
  - 1.1.5 Isotherms (1)
  - 1.1.6 Albedo (1)
  - 1.1.7 Radiation fog (1)
  - 1.1.8 Thermal belt (1)
- 1.2 1.2.1 C(1)
  - 1.2.2 A (1)
  - 1.2.3 A (1)
  - 1.2.4 D (1)
  - 1.2.5 D (1)
    - 1.2.6 B (1)
  - 1.2.7 D (1) (7 x 1) (7)
- 1.3 1.3.1 12 March 2024 (2) 12/10h (2)
  - 1.3.2 On the 11<sup>th</sup> Filipo moved westwards (1) On the 12<sup>th</sup> Filipo moved southwards (1), then on the13<sup>th</sup> south easterly (1)
     (2 x 1)
  - 1.3.3 Gaza (1) Mbabane (1) Maputo (1) Sofala (1) [ANY TWO]
    1.3.4 25 455 people (1)
    (1 x 1) (1)
  - 1.3.5 Education (1) Water (1) (2 x 1) (2)

Please turn over

(8 x 1)

 $(1 \times 2)$ 

(2)

(8)

	1.3.6	Health centres (1) Roads (1) Electric poles (1) [ANY TWO] (2 x 1)	(2)
	1.3.7	Ensure that there is a disaster management plan (2) Monitor the path of the cyclone and its development using remote sensors on satellite (2) Prepare evacuation plans (2) Build strong shelters where people can gather before a storm arrives (2) Upgrade technology (2) Ensure infrastructure is of good quality (2) [ANY TWO] (2 x 2)	(4)
1.4	1.4.1	Development and strengthening of cyclones (2) (1 x 2)	(2)
	1.4.2	$ \begin{array}{l} A = Cold \ front \ (1) \\ B = Warm \ front \ (1) \end{array}  \tag{2 x 1} $	(2)
	1.4.3	Backing (1) (1 x 1)	(1)
	1.4.4.	The change is due to clockwise circulation of wind in a mid-latitude cyclone (2) (1 x 2)	(2)
	1.4.5	<b>Cold front occlusion</b> occurs when the coldest air is found behind the cold front (2) The coldest air causes the warm air to be uplifted along the cold front (2) The cold front undercuts the warm front (2) The rising air cools, condenses and forms the nimbostratus clouds (2)	
		Warm front occlusion occurs when the coldest air is found ahead of the warm front (2) The coldest air causes the air to be uplifted along the warm front (2) The rising air cool, condensation takes place to form the nimbostratus clouds (2) $(4 \times 2)$	(8)
1.5	1.5.1	Accumulation of soot, smoke and other pollutants that forms over the city (2) [CONCEPT] (1 x 2)	(2)
	1.5.2	Combustion of fossil fuel (1) High amounts of air pollution due to heat generating activities (1) Exhaust fumes of motor vehicles (1) Industrial activities in the city emits large amounts of air pollution (1)	

Construction activities cause dust particles (1)  $(3 \times 1)$  (3)

4

1.5.3 At night there is strong subsidence of cold air (2) Inversion layer is close to the surface (2) There is less convection to distribute pollution at night (2) Less activities to generate heat that will lift pollution dome (2) [ANY TWO] (2 x 2) (4) 1.5.4 Emission of greenhouse gases contribute to climate change (2) Pollutants lead to the formation of acid rain (2) Condensation around pollutants result in the formation of smog that causes poor visibility (2) Polluted air over the cities increases temperatures (2) Concentration of pollutants cause greater cloud cover (2) [ANY THREE]

 $(3 \times 2)$ (6)

[60]

<b>QUESTION 2: GEOMOR</b>
---------------------------

2.1	2.1.1	Z (1)		
	2.1.2	Y (1)		
	2.1.3	Y (1)		
	2.1.4	Y (1)		
	2.1.5	Z (1)		
	2.1.6	Y (1)		
	2.1.7	Z (1)		
	2.1.8	Z (1)	(8 x 1)	(8)
2.2	2.2.1.	A (1)		
	2.2.2	B (1)		
	2.2.3	A (1)		
	2.2.4	A (1)		
	2.2.5	B (1)		
	2.2.6	A (1)		
	2.2.7	A (1)	(7 x 1)	(7)
2.3	2.3.1	Delta is a landform that forms at the mouth of a river, where a	different	
		[CONCEPT]	(1 x 2)	(2)
	2.3.2	Arcuate delta (1)	(1 x 1)	(1)
	2.3.3	The gentle gradient causes the river to lose its energy and deposits its load at the river mouth (2)		
		Weak ocean currents encourage the accumulation of sedim form a delta (2)	ents to (2 x 2)	(4)

<ul> <li>2.3.4 To people: Creates tourism opportunities and contribute to the economy (2) Fertile land encourages crop cultivation (2) Sand and gravel are used in road and building construction (2) Development of settlements (2) Good transport links (2)</li> </ul>		omy (2) ion (2)				
		<b>On environment:</b> Act as a source of water (2) Source of protein (fish) (2) Attractive to wildlife because the nutrient rich water increased plant growth and food availability (2) Filter water and reduce the impact of water pollution from	r lead to n			
		upstream (2)	(4 x 2)	(8)		
2.4	2.4.1	Elbow of capture is a right angle bend that indicates the where one river captures another (2)	point (1 x 2)	(2)		
	2.4.2	(a) Misfit stream	(1 x 1)	(1)		
		(b) Due to headward erosion, tributary A will erode throw watershed (2) and captures the headwaters of river point C (2)	ough the <sup>r</sup> B at (2 x 2)	(4)		
	2.4.3	Captor stream (1)	(1 x 1)	(1)		
	2.4.4	A (1)	(1 x 1)	(1)		
	2.4.5	River A has increased volume of water (2)	(1 x 2)	(2)		
	2.4.6	Decrease in biodiversity (2) Land degradation (2) Water ecosystem will be disturbed (2)				
		Less fish (2)	(2 x 2)	(4)		
2.5	2.5.1	81% (1)	(1 x 1)	(1)		
	2.5.2	Inadequately treated sewage (2)	(1 x 2)	(2)		
	2.5.3	26 plants (2)	(1 x 2)	(2)		
	2.5.4	.4 Fertilisers/insecticides/pesticides/weed killers used in agriculture are washed away by surface runoff and deposited into rivers (2)				
		Disposal of garbage into the river (2)	(2 x 2)	(4)		

2.5.5	Implementation of public awareness programmes (2) Encourage recycling of sewage (2) Recover floodplains with vegetation (2) Ensure storm water management (2) Impose fines on municipalities (2) Implement waste water treatment (2) Buffering of rivers (2)		
	Practise green agriculture (sustainable agriculture) (2)	(3 x 2)	(6)
	· · · · · · · · · · · · · · · · · · ·	(0 / 2)	[60]

TOTAL SECTION A: 120

# **SECTION B**

### **QUESTION 3: GEOGRAPHICAL SKILLS AND TECHNIQUES**

## 3.1 MAP SKILLS AND CALCULATIONS

3.1.1	Western Cape (1) (1 x 1)			
3.1.2	northwest (1) (1 x 1			
3.1.3	The orthophoto map scale is 5 times larger than the topog map (2)	raphic (1 x 2)	(2)	
3.1.4	A (1)	(1 x 1)	(1)	
3.1.5	VI = 330,2 m – 310,0 m = 20,2 m (1)			
	HE = 4,3 cm (1) x 500 = 2 150 m (1) (range: 4,2 cm - 4,4 cm) x 500 = 2 100 m - 2 200 m = $\frac{20,2:2150}{20,220,2}$ OR = $\frac{20,21}{2150}$ (1) for the correct substitution = 1:106 43 (range: 1:103 96 - 108 91) (1)	ו (5 x 1)	(5)	
	- 1. 100,45 (lange. 1. 105,90 - 100,91) (1)	$(\mathbf{J} \mathbf{X} \mathbf{I})$	( <b>0</b> )	

### 3.2 MAP INTERPRETATION

3.2.1	South facing slopes receive indirect warming from the sun (low angle of incidence) that leads to more growth as the soil is wetter						
	(2) Low prom	Low rate of evaporation makes the soil to be wetter and that promotes dense vegetation (2) $(1 \times 2)$ (2)					
3.2.2	(a)	Noon (1)	(1 x 1)	(1)			
	(b)	The feature has short shadows (2)	(1 x 2)	(2)			
3.2.3	Radial drainage pattern (1)		(1 x 1)	(1)			
3.2.4	Drainage pattern resembles spokes of a wheel (2) (1 x 2) (			(2)			
3.2.5	2 <sup>nd</sup> s	tream order (2)	(1 x 2)	(2)			
3.2.6	A5 – A6 –	Low drainage density (1) High drainage density (1)	(1+1)	(2)			

#### 3.3 **GEOGRAPHICAL INFORMATION SYSTEMS (GIS)**

3.3.1	(a)	Woodland (1)	(1 x 1)	(1)
	(b)	River (1) Row of trees along the river (1) <b>[ANY ONE]</b>	(1 x 1)	(1)
3.3.2	Single [CON	e layer of information with a specific theme (2) ICEPT]	(1 x 2)	(2)
3.3.3	Topog Drain Land <b>[ANY</b>	graphy (1) age (1) use (1) T <b>WO]</b>	(2 x 1)	(2)
3.3.4	To protect the river against water pollution (2) For the roots of trees to strengthen the riverbank (2) Tree canopies provide shade to keep the river cool (2) To allow natural connection between the river and its floodplain			
	(2) [ANY	ONE]	(1 x 2)	(2) <b>[30]</b>

- TOTAL SECTION B: 30
  - GRAND TOTAL: 150