

# higher education & training

Department:
Higher Education and Training
REPUBLIC OF SOUTH AFRICA

## NATIONAL CERTIFICATE DIGITAL ELECTRONICS N5

(8080365)

15 April 2021 (X-paper) 09:00–12:00

This question paper consists of 5 pages.

187Q1A2115

Copyright reserved

(8080365) -2-

### DEPARTMENT OF HIGHER EDUCATION AND TRAINING REPUBLIC OF SOUTH AFRICA

NATIONAL CERTIFICATE DIGITAL ELECTRONICS N5 TIME: 3 HOURS MARKS: 100

#### INSTRUCTIONS AND INFORMATION

- 1. Answer all the questions.
- 2. Read all the questions carefully.
- Number the answers according to the numbering system used in this question paper.
- 4. All calculations and answers must be given in three fractional radix spaces, for example 10, 011<sub>2</sub>.
- 5. Diagrams must be large, neat and labelled and may be done in pencil.
- 6. Use only a black or blue pen.
- Write neatly and legibly.

Copyright reserved Please turn over

#### **QUESTION 1**

Convert the following numbers to their binary equivalent and complete the calculation in the binary number system. Follow the instructions given in brackets.

1.1  $11,28 \times 10,125_{10}$  (Convert the answer to hexadecimal.) (6)

1.2  $10111,1001_2 - 10100010,0011_2$  (Use 2's complements. Convert the answer to decimal.) (6)

1.3 121,3<sub>8</sub> ÷ 24,3<sub>16</sub> (Convert the answer to octal.) (6)

#### **QUESTION 2**

Design, with the aid of a truth table and Karnaugh maps, a circuit that will convert the BCD<sub>(8421)</sub> code with FOUR variables (ABCD) into excess-3. [20]

#### **QUESTION 3**

- Draw the integrated circuit of a two-input TTL NAND gate which uses Schottky clamped transistors. (6)
- 3.2 Use NOR gates and a wire-OR connection to represent the function AB+CD. (3)
- 3.3 Define the following terms with reference to TTL circuits:
  - 3.3.1 Noise immunity
  - 3.3.2 Propagation delay (2 × 2) (4)

#### **QUESTION 4**

- Determine the output voltage of a digital-to-analogue converter into which digital code can be fed serially if the input voltage = 1 V, time = 1 m/s,  $R = 100 \Omega K$ ,  $C = 100 \mu f$  and digital code A = 3672. (3)
- 4.2 Draw a fully labelled circuit diagram of the R/2R ladder digital-to-analogue converter. (5)
- 4.3 Give ONE advantage of the circuit diagram mentioned in QUESTION 4.2. (1)
- Give the formula that may be used to determine the output voltage of the circuit mentioned in QUESTION 4.2. (1)

Copyright reserved Please turn over